



ISO 13485:2016 ISO 9001:2015

Ver.250301

Alkaline Phosphatase (AKP/ALP) Activity Assay Kit

BC8803-01 (60 Tests/60 Samples)

FOR RESEARCH USE ONLY, DO NOT USE IT IN CLINICAL DIAGNOSIS

Product Description

Alkaline Phosphatase (AKP/ALP) is a zinc containing glycoprotease, which hydrolyses various natural and synthetic phospholipid monoester compounds in alkaline condition. AKP/ is widely distributed in human organs, mainly in liver.



The end product has an absorption maxima at 405nm

Kit components

Reagent	Volume	Storage
Extraction Reagent	60mL	2-8°C
Reagent I	2 × 24mL	2-8°C
Reagent II	2 × 6mL	2-8°C

Working reagent: Mix 4 volume of Reagent I with 1 volume Reagent II. The working reagent is stable at 2-8°C for 30 days.

Note: Do not use the reagents if turbidity or precipitation is present in any kit component.

Reagents and Equipment Required but Not Provided

Constant temperature water bath, cooling centrifuge, spectrophotometer/microplate reader, micro glass cuvette/96 well flat bottom plate and distilled water.

Enzyme Preparation

Add 1mL Extraction Reagent to 0.1g tissue, grind thoroughly. Centrifuge at 10000rpm, 4°C for 10 minutes. Take the supernatant on ice for the assay. Serum or plasma can be used directly for the assay. Dilute the sample with Extraction Reagent if the reading is high.

Operation Procedures

1. Preheat the spectrophotometer/microplate reader for 30 minutes, adjust wavelength to 405 nm and set zero with distilled water.
2. To a 1.5mL microcentrifuge tube, add 1mL Working reagent followed by 20μL sample.
3. Mix and incubate at 37°C for 1 minute.
4. Measure OD (A₁) immediately after 1 minute of incubation and A₂ after 3 minutes.

$$\Delta A = A_2 - A_1$$

Calculations

$$\text{ALP Activity (U/L)} = \Delta A \times 2750$$