



Goat Anti-Chicken IgG/FITC

SF135

Product Information

Concentration	2 mg/mL
Buffer	0.01M PBS with 1% BSA, 0.03% proclin 300 and 50% glycerol, pH 7.4
Dilution	IF 1:50-500
Purification	Affinity purification by Protein G
Conjugation	FITC
Excitation spectrum	495nm
Emission spectrum	525nm
Storage	-20 °C, Avoid freeze/ thaw cycles

Note: Centrifuge before opening to ensure complete recovery of vial contents.

Other applications have not been tested. Optimal dilutions /concentrations should be determined by the end user.

Background

FITC conjugated antibody is a kind of immunochemistry reagents widely used in immunology, molecular biology and various branches of clinical medicine.

Research Use

For research use only, not for use in diagnostic procedures.

Legend

Applications: WB-Western Blot; IHC-Immunohistochemistry; IF-Immunofluorescence; IP-Immunoprecipitation; FC-Flow cytometry; ChIP-Chromatin Immunoprecipitation

Reactivity: H-Human; R-Rat; M-Mouse; Mk-Monkey; Dg-Dog; Ch-Chicken; Hm-Hamster; Rb-Rabbit; Sh-Sheep; Pg-Pig; Z-Zebrafish; X-Xenopus; C-Cow.

Please contact Origin Diagnostics and Research for further assistance

www.originlab.in

info@originlab.in

+91-7736237778



ISO 9001:2015

ISO 13485:2016